



MODERN FLAMES

Australia Electric Fireplace
2021 Product Catalog



MODERN  FLAMES

3515

MODERN  FLAMES

ABOUT US

Modern Flames was established in 2008 and has quickly become the innovative leader in contemporary electric fireplace design and technology. After pioneering the linear electric fireplace throughout North America, Modern Flames' brand has skyrocketed with many firsts to market which include: the first linear recessed electric fireplace, the first fully built-in electric fireplace, the first outdoor electric and now the first steam electric fireplace. Modern Flames' products have gained notoriety with architects, designers, builders and homeowners for its unbelievable life-like flame appearance,

ease of installation and affordable cost to the builder compared to wood and gas. With global movement into greener building and high efficiency products, Modern Flames' new FusionFire™ technology allows consumers to achieve the look of a fireplace without sacrificing the realism of a real fire. With a new corporate headquarters and expanded warehouse in Phoenix, Arizona, along with its new steam technology, Modern Flames continues to be a leader in the electric fireplace industry. Modern Flames is innovating the industry standards of tomorrow.

CONTENTS

3-6 Landscape Pro™ Multi Series

The Most Versatile Electric Fireplace

7-10 Landscape Pro™ Slim Series

Electric Fireplace with Unique Frameless Design

11-14 Landscape FullView 2 Series

Built-in Clean Face Electric Fireplace

15-18 Spectrum Slim Series

Recessed Flush Mount or Wall Mount

19-21 RedStone Series

Built-in Flush Mount Electric Fireplace Insert

22 Sunset Charred Oak Log Set

Electric Log Set



Landscape Pro™ Multi - LPM 4416

LANDSCAPE PRO™ MULTI

The Most Versatile Electric Fireplace on the Market

- MULTI SIZES: **1118mm | 1422mm | 1727mm | 2032mm | 2438mm**
- MULTI INSTALL DEPTHS: BUILT-IN CLEAN FACE - PARTIAL 51mm x 102mm RECESS - WALL MOUNT
- MULTI CONFIGURATIONS: SINGLE SIDED, LEFT CORNER, RIGHT CORNER & 3-SIDED (BAY)
- MULTI LIGHT CONTROL: FLAME COLOR, EMBER BED COLOR & DOWNLIGHTING COLOR
- MULTI LIGHT COLORS: FULL RGB COLOR SPECTRUM IN ALL LIGHTING FEATURES

Up to 12 different install configurations included standard in the box!

Choose a beautiful single sided installation or get creative and design the fireplace exactly how you want into the feature wall of your dreams.



Landscape Pro™ Multi - LPM 5616



Landscape Pro™ Multi - LPM 8016

New high intensity multi-color flame technology paired with matching up lighting and downlighting to create the full customizable experience in the home.

Hundreds of different stunning color combinations to select from!

STANDARD FEATURES

LIGHTING

- ✓ New Hybrid-FX™ Flame Technology
- ✓ Random, Beautiful Flame Image
- ✓ High Intensity RGB Flame Colors
- ✓ RGB Ember Bed Colors
- ✓ RGB Downlighting Colors
- ✓ Individually Contoled or Synchronized
- ✓ Full Color Spectrum in Each Light Feature
- ✓ Active Ember Bed

MEDIA

- ✓ Clear Acrylic Stone Media
- ✓ Black Smoke Acrylic Crystals
- ✓ Hand-Painted Canyon Driftwood Log Set - Highly Detailed Realism

HEAT

- ✓ Up To 5,000 BTU Heat Output
- ✓ Whisper Quiet Fan
- ✓ High Efficiency PTC Ceramic Heater

CONTROLS & FUNCTIONS

- ✓ Basic Features Manual Controls
- ✓ Full Feature Remote Control
RGB Color Wheel
Brightness Slide Bar
- ✓ Full Feature Modern Flames App

OPTIONAL CONTROL

- ✓ Wireless Thermostat & Full Wall Control

LIGHTING - INDEPENDENT COLOR CONTROL

FULL COLOR SPECTRUM FLAME, EMBER BED & DOWNLIGHTING



MEDIA - PREMIUM LOG SET STANDARD

CANYON DRIFTWOOD LOG SET, SMOKE GLACIER CRYSTALS & CLEAR STONES



HEAT - 5,000 BTU

240V HIGH EFFICIENCY CERAMIC HEATER



Landscape Pro Multi Fireplaces are equipped with adjustable heaters controlled by remote or phone app. Wall tether has thermostat controls.



FLAMES & LIGHTING
15 WATTS
NO HEAT



1500 WATT HEATER
240V 5,000 BTU
UP TO 40 SQM

Landscape Pro™ Multi - LPM 5616



STANDARD CONTROLS

REMOTE CONTROL & MANUAL CONTROL



MODERN FLAMES

FULL FEATURED
WiFi APP




UPGRADE CONTROL

WIRELESS WALL TETHER WITH
THERMOSTAT CONTROL




MULTI INSTALLATIONS - OVER 12 DIFFERENT CONFIGURATIONS

- BUILT-IN/ CLEAN FACE INSTALLATION
- WALL MOUNT INSTALLATION
- BUILT-IN RECESSED INSTALLATION (51mm X 102mm wall)
- FLOATING WALL CABINET
- FLOOR CABINET
- SINGLE SIDED
- LEFT CORNER
- RIGHT CORNER



MODEL #	CONFIGURATION	VIEWING AREA			FIREBOX DIMENSIONS					
		A FRONT GLASS WIDTH	B SIDE GLASS WIDTH	C GLASS HEIGHT	D OVERALL WIDTH	E OVERALL HEIGHT	F OVERALL DEPTH	G BOTTOM TO VIEWING	H TOP TO VIEWING	I BACK TO VIEWING
LPM-4416/INT	SINGLE SIDED	1077mm (40-3/8")	-	390mm (15-3/8")	1124mm (44-1/4")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	-
	CORNER (L/R)	1077mm (40-3/8")	127mm (5")	390mm (15-3/8")	1124mm (44-1/4")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
	3-SIDED (BAY)	1077mm (40-3/8")	127mm (5")	390mm (15-3/8")	1124mm (44-1/4")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
LPM-5616/INT	SINGLE SIDED	1377mm (54-1/4")	-	390mm (15-3/8")	1424mm (56")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	-
	CORNER (L/R)	1377mm (54-1/4")	127mm (5")	390mm (15-3/8")	1424mm (56")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
	3-SIDED (BAY)	1377mm (54-1/4")	127mm (5")	390mm (15-3/8")	1424mm (56")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
LPM-6816/INT	SINGLE SIDED	1677mm (66")	-	390mm (15-3/8")	1724mm (67-7/8")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	-
	CORNER (L/R)	1677mm (66")	127mm (5")	390mm (15-3/8")	1724mm (67-7/8")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
	3-SIDED (BAY)	1677mm (66")	127mm (5")	390mm (15-3/8")	1724mm (67-7/8")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
LPM-8016/INT	SINGLE SIDED	1977mm (77-13/16")	-	390mm (15-3/8")	2024mm (79-5/8")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	-
	CORNER (L/R)	1977mm (77-13/16")	127mm (5")	390mm (15-3/8")	2024mm (79-5/8")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
	3-SIDED (BAY)	1977mm (77-13/16")	127mm (5")	390mm (15-3/8")	2024mm (79-5/8")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
LPM-9616/INT	SINGLE SIDED	2388mm (94")	-	390mm (15-3/8")	2438mm (96")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	-
	CORNER (L/R)	2388mm (94")	127mm (5")	390mm (15-3/8")	2438mm (96")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
	3-SIDED (BAY)	2388mm (94")	127mm (5")	390mm (15-3/8")	2438mm (96")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")





Landscape Pro™ Slim - LPS 5614

LANDSCAPE PRO™ SLIM SERIES

Electric Fireplace with Unique Frameless Design

The Landscape Pro™ Slim electric fireplace is the perfect option for any customer looking for a unique frameless look installed into a 52mm" x 152mm wall. This new Slim model in the Landscape Pro™ Series features independently controlled flame plus up & down lighting with an edge-to-edge viewing area. This Pro Series model features NEW Hybrid-FX™ flame technology, high intensity LED lighting and active ember bed, Driftwood Logs & Wi-Fi controls all as standard features. The Landscape Pro Slim features a 5000 BTU heater, remote and wireless control and comes in 5 linear sizes, 1118mm, 1422mm, 1727mm, 2032mm, & 2438mm.



Landscape Pro Slim - LPS 5614

STANDARD FEATURES

-  12 Different Flame & Ember Bed Color Options
-  Back Flame & Ember Bed Controlled Independently or Together
-  New Hybrid-FX™ Flame Technology
-  Driftwood Log Set
-  Full Flame Viewing Area
-  Fully Finished Clean Face Installation
-  Finish Trim Kit Included
-  High Efficiency Ceramic Heater
-  Whisper Quite Fan
-  Variable Flames
-  Remote Control
-  Wi-Fi Controls with Modern Flames App

LANDSCAPE PRO™ SLIM SERIES

Driftwood Logs & Acrylic Ember Bed Included Standard

Available in 5 Standard Widths with Driftwood Log Set & Acrylic Ember Bed:



Flames & Ember Bed Colors - Several Color Combinations Available & Controlled Independently



Comes Standard with 2 Types of Acrylic Media: Smoke & Clear




LANDSCAPE PRO™ SLIM

Dimension Specs

LANDSCAPE PRO™ SLIM DIMENSIONAL SPECS

Model #	A	B	C	D	E	FRAMING (W x H x D)
LPS-4414/INT	356mm (14")	1111mm (44")	141mm (6")	603mm (24")	1124mm (44-1/4")	1130mm (44-1/2") W x 613mm (24-1/4") H x 153mm (5-1/2") D
LPS-5614/INT	356mm (14")	1416mm (56")	141mm (6")	603mm (24")	1430mm (56-1/4")	1436mm (56-1/2") W x 613mm (24-1/4") H x 153mm (5-1/2") D
LPS-6814/INT	356mm (14")	1721mm (68")	141mm (6")	603mm (24")	1735mm (68-1/4")	1741mm (68-1/2") W x 613mm (24-1/4") H x 153mm (5-1/2") D
LPS-8014/INT	356mm (14")	2026mm (80")	141mm (6")	603mm (24")	2040mm (80-1/4")	2046mm (80-1/2") W x 613mm (24-1/4") H x 153mm (5-1/2") D
LPS-9614/INT	356mm (14")	2432mm (96")	141mm (6")	603mm (24")	2446mm (96-1/4")	2452mm (96-1/2") W x 613mm (24-1/4") H x 153mm (5-1/2") D

LANDSCAPE PRO™ SLIM - LPS 5614 (1416mm) DIMENSIONAL DRAWING SHOWN



STANDARD CONTROLS REMOTE CONTROL & MANUAL CONTROL



UPGRADE CONTROL WIRELESS WALL TETHER WITH THERMOSTAT CONTROL





LANDSCAPE FULLVIEW 2 SERIES

Built-in Clean Face Electric Fireplace

The Landscape FullView 2 built-in electric fireplace is the first of its kind creating a perfect substitute for a linear gas fireplace. This unique frameless design allows for edge to edge flame presentation as well as unlimited surround capabilities. Available in 5 different lengths for any application as well as 3 customizable flame bed options for different fit and finishes. An optional 2 stage heater is also included for supplemental heat up to 45 square meters.



STANDARD FEATURES

-  Realistic Natural Flame Appearance
-  Orange/Blue Color Changing Flame
-  Glowing Coal Ember Bed
-  5,000 BTU Heater
-  Full Flame Viewing Area
-  Fully Finished Clean Face Installation
-  Affordable Alternative to Gas
-  Can be Installed Beneath a TV
-  Cool to the Touch with Heat On or Off
-  Remote Control
-  Wall Tether Touch Screen Control

LANDSCAPE FULLVIEW 2 SERIES

Available in 5 Linear Widths with Orange or Blue Changeable Flames



Fireplace Height 400 with 5 Widths Available: 1000 1500 2000 2500 3000



Blue Flames shown with Standard Dusted w/paint



Orange Flames shown with Standard Dusted w/paint

MEDIA UPGRADES



LFV2-1000/400-AU with DWLS2-1000



LFV2-2500/400-AU

LANDSCAPE FULLVIEW 2 SERIES

Technical Specs



NEW REMOTE CONTROL

Separate controls for on/off, variable heat and variable flame.




TOUCH SCREEN TECHNOLOGY

Touch control panel can be wall mounted within ten feet of the fireplace. The 3 stacked icons (in order) operate the power, heat (on/off) and light intensity. Hold the light intensity for five seconds to change the flame color from orange to blue. All touch controls fade to black after 4 seconds.

LFV2 TECHNICAL SPECS

Model Number	Volts	Watts	BTU's	Framing (Rough Opening)	Installation Type
LFV2-1000/400-AU	AC 240V/50Hz	1,530	5,000	1420mm L x 305mm D x 585mm H	Built-in Clean Face
LFV2-1500/400-AU	AC 240V/50Hz	1,530	5,000	1925mm L x 305mm D x 585mm H	Built-in Clean Face
LFV2-2000/400-AU	AC 240V/50Hz	1,550	5,000	2435mm L x 305mm D x 585mm H	Built-in Clean Face
LFV2-2500/400-AU	AC 240V/50Hz	1,600	5,000	2940mm L x 305mm D x 585mm H	Built-in Clean Face
LFV2-3000/400-AU	AC 240V/50Hz	1,600	5,000	3450mm L x 305mm D x 585mm H	Built-in Clean Face

LFV2-1500/400-AU DIMENSIONAL DRAWING SHOWN



LFV2 DIMENSIONAL SPECS (SEE DRAWING AT LEFT)

MODEL	A	B	C	D	E	F
LFV2-40/15 (1000/400)-AU	385mm (15")	1000mm (40")	295mm (11-1/2")	572mm (22-1/2")	1420mm (54-3/4")	1455mm (57-1/4")
LFV2-60/15 (1500/400)-AU	385mm (15")	1500mm (60")	295mm (11-1/2")	572mm (22-1/2")	1925mm (74-3/4")	1963mm (77-1/4")
LFV2-80/15 (2000/400)-AU	385mm (15")	2000mm (80")	295mm (11-1/2")	572mm (22-1/2")	2435mm (94-3/4")	2471mm (97-1/4")
LFV2-100/15 (2500/400)-AU	385mm (15")	2500mm (100")	295mm (11-1/2")	572mm (22-1/2")	2940mm (114-3/4")	2879mm (117-1/4")
LFV2-120/15 (3000/400)-AU	385mm (15")	3000mm (120")	295mm (11-1/2")	572mm (22-1/2")	3450mm (134-3/4")	3487mm (137-1/4")



SPECTRUM SLIMLINE SERIES

Recessed Flush Mount or Wall Mount Electric Fireplace

Modern Flames new Spectrum Slimline has revamped the recessed electric fireplace category. This 51mm x 102mm or wall mount installation electric fireplace has removed the large black glass surround and is finished off with a sleek 16mm trim to maximize the viewing area. Hardwoods or tile can be finished right up to the opening of the fireplace while still keeping in mind serviceability. The Spectrum Slimline features high intensity flame and ember bed lighting showcasing our new Hybrid-FX™ flame technology independently controlled with 12 different color options. Other standard features include variable & thermostatic heat, variable motor controls, timer, push button and remote controls. The acrylic crystal media and driftwood logs are both standard media and the Spectrum Slimline is available in 1270mm, 1524mm, 1880mm & 2540mm sizes.



SPS-50B

STANDARD FEATURES

-  Hybrid-FX™ Flame Technology
-  12 Color Flame Combinations
-  Glacier Glass Ember Bed
-  Low Energy LED Flame Technology
-  Touch Button Controls
-  New Sleek Remote
-  Can be Installed Beneath a TV
-  Variable Heat with Thermostat
-  Variable Flame Controls
-  240 Volt Plug
-  Do it Yourself Installation Instructions

SPECTRUM SLIMLINE SERIES

Independent Flame & Ember Bed Color Combinations

The 6 button control panel is located at the top right of fireplace including a digital readout thermostat. From right to left, button #1 turns the fireplace on or off. Button #2 controls ember bed lights. #3 controls the flame colors #4 turns the heater on or off. Button #5 controls timer setting to turn off fireplace at selected time, and button #6 adjusts the desired heater temperature.



12 Flame & Ember Bed Colors Controlled Independently - Examples Shown Below



Blue Flames & Blue Ember Bed



Blue Flames & Orange Ember Bed



Orange Flames & Orange Ember Bed



Gold Flames & Gold Ember Bed



Green Flames & Green Ember Bed



Magenta Flames & Magenta Ember Bed



Pink Flames & Blue Ember Bed



Red Flames & Red Ember Bed



Purple Flames & Blue Ember Bed



Orange Flames & Blue Ember Bed



Gold Flames & Green Ember Bed



Purple Flames & Purple Ember Bed

SPECTRUM SLIMLINE

Dimension Specs




REMOTE CONTROL
Separate controls for on/off variable heat and variable flame, with independent flame & ember bed variable colors.

SPECTRUM PRO SLIMLINE DIMENSIONAL SPECS

Model Number	A	B	C	D	E	F	G	H	I	L	K
SPS-50B/INT	1264mm (49-3/4")	430mm (17")	121mm (4-3/4")	1235mm (48-5/8")	410mm (16-1/8")	102mm (4")	1168mm (46")	305mm (12")	118mm (4-5/8")	25.4mm (1")	1829mm (72")
SPS-60B/INT	1518mm (59-3/4")	430mm (17")	121mm (4-3/4")	1489mm (58-5/8")	410mm (16-1/8")	102mm (4")	1418mm (55-13/16")	305mm (12")	118mm (4-5/8")	25.4mm (1")	1829mm (72")
SPS-74B/INT	1873mm (73-3/4")	430mm (17")	121mm (4-3/4")	1845mm (72-5/8")	410mm (16-1/8")	102mm (4")	1772mm (69-3/4")	305mm (12")	118mm (4-5/8")	25.4mm (1")	1829mm (72")
SPS-100B/INT	2534mm (99-3/4")	430mm (17")	121mm (4-3/4")	2505mm (98-5/8")	410mm (16-1/8")	102mm (4")	2435mm (95-7/8")	305mm (12")	118mm (4-5/8")	25.4mm (1")	1829mm (72")

SPS-50B DIMENSIONAL DRAWING SHOWN



REDSTONE SERIES

Built-in Flush Mount Conventional Electric Fireplace

Modern Flames has revamped its built-in, flush mount conventional fireplace category with its new RedStone electric fireplace. The RedStone features our new Hybrid-FX™ flame technology maximizing the flame height in an enlarged vertical viewing area. Some of the eye-catching features include high intensity RGB independently controlled up lighting, down lighting & flame color. Other standard features include 10 different unique colors to choose from, variable and thermostatically controlled heat, variable motor controls, timer, push button and remote controls. This conventional design can slide into an existing Zero Clearance wood burning fireplace or will need 255mm of depth in a wall for the built-in flush mount look. The RedStone plugs into a standard outlet and includes a 5000 BTU heater. Acrylic crystal media and driftwood logs are both standard media.



Redstone RS-3021

STANDARD FEATURES

-  Hybrid-FX™ Flame Technology
-  10 Unique Flame Colors
-  Acrylic Crystal Ember Bed
-  Low Energy LED Flame Technology
-  Touch Button Controls
-  New Sleek Remote
-  Can be Installed Beneath a TV
-  Variable Heat with Thermostat
-  Variable Flame Controls
-  240 Volt Plug
-  Do it Yourself Installation Instructions
-  Finish Trim Kit Included

REDSTONE SERIES

Independent Flame & Ember Bed Color Combinations

The **6** button control panel is located at the top right on fireplace and includes a digital readout thermostat. From right to left, button **#1** turns the fireplace on or off. Button **#2** controls ember bed lights. **#3** controls the flame colors. Button **#4** turns the heater on or off. Button **#5** controls timer setting to turn off fireplace at selected time, and button **#6** adjusts the desired heater temperature.

Flame & Ember Bed Colors Controlled Independently



Blue Flames - Logs on



Blue Flames - Logs off



Orange Flames - Logs on




Orange Flames - Logs off



Red Flames - Logs on



Red Flames - Logs off



Touch Button Control Panel



REMOTE CONTROL INCLUDED
Separate controls for on/off variable heat and variable flame with independent flame and ember bed variable colors.

Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting


REDSTONE SERIES

Dimension Specs


Model	Trim Width	Part Number or Trim Kit	A	B
RS-3021-AU	16mm (5/8")	Included w/Fireplace	743mm (29-1/4")	479mm (18-7/8")
	42mm (1-5/8")	Included w/Fireplace	793mm (31-1/4")	529mm (20-7/8")

REDSTONE SERIES

Built-In Trim Specs



Slide -In Trim Specs



SUNSET CHARRED OAK LOGS

Electric Log Set

The Sunset Charred Oak Electric Logs set is the industries first battery powered and Wi-Fi enabled electric logs. This electric log set is designed to simply be unpackaged and installed into any existing wood burning fireplace without the hassle of running a electrical line. The Sunset Charred Oak features High Definition resin log detail, unsurpassed bark detail, 8 color paint scheme, Realistic LED ember bed, 6 stage lighting intensity and flame settings, hidden manual controls & Wi-Fi capability. Never has it been easier to add a full featured electric log set to your wood burning fireplace.



HIGH DEFINITION RESIN LOG & BARK DETAIL



OPTIONAL BATTERY PACK & CHARGER (10 hours of use)



STANDARD FEATURES

- High Definition Resin Log Detail
- 8 Color Log Paint Scheme
- Realistic LED Ember Bed
- 6 Stage Lighting Intensity
- Natural Flame Pattern
- Hidden Manual Controls
- Optional Lithium Ion Battery Pack
- Wi-Fi Capability

SCO-20 LOG SET DIMENSIONS:

254 Height
495 Width
254 Depth

SCO-26 LOG SET DIMENSIONS:

311 Height
647 Width
343 Depth



MODERN FLAMES

Modern Flames Australia

Exim International (Australia) Pty LTD
24 Newheath Drive
Arundel, QLD 4214

Phone: 07-5630 6837
Toll Free: 1300 361557

Email: Info@ModernFlames.com



INNOVATING THE INDUSTRY STANDARDS OF TOMORROW

March 2021