



Product Overview































2022





Range Overview

Vacuum Sealers

<div></div> <div>VS-I40-1</div>	<div></div> <div>VS-I30-1</div>	<div></div> <div>VS-C1-1</div>	<div></div> <div>VS-C3</div>	<div></div> <div>VS-D3</div>	<div></div> <div>VS-D2</div>
<div>RRP \$909.05 Ex \$999.95 Inc</div>	<div>RRP \$727.23 Ex \$799.95 Inc</div>	<div>RRP \$363.59 Ex \$399.95 Inc</div>	<div>RRP \$336.32 Ex \$369.95 Inc</div>	<div>RRP \$227.23 Ex \$249.95 Inc</div>	<div>RRP \$127.23 Ex \$139.95 Inc</div>
<div>—</div>	<div>—</div>	<div>24 months DOMESTIC WARRANTY</div>	<div>24 months DOMESTIC WARRANTY</div>	<div>12 months DOMESTIC WARRANTY</div>	<div>12 months DOMESTIC WARRANTY</div>
<div>12 months COMMERCIAL WARRANTY</div>	<div>12 months COMMERCIAL WARRANTY</div>	<div>12 months COMMERCIAL WARRANTY</div>	<div>12 months COMMERCIAL WARRANTY</div>	<div>—</div>	<div>—</div>
<div></div> <div>Dual Pump TECHNOLOGY</div>	<div></div> <div>Dual Pump TECHNOLOGY</div>	<div></div> <div>Dual Pump TECHNOLOGY</div>	<div></div> <div>Dual Pump TECHNOLOGY</div>	<div></div> <div>Single Pump TECHNOLOGY</div>	<div></div> <div>Single Pump TECHNOLOGY</div>
<div></div> <div>-0.90 Bar VACUUM PRESSURE</div>	<div></div> <div>-0.90 Bar VACUUM PRESSURE</div>	<div></div> <div>-0.90 Bar VACUUM PRESSURE</div>	<div></div> <div>-0.90 Bar VACUUM PRESSURE</div>	<div></div> <div>-0.80 Bar VACUUM PRESSURE</div>	<div></div> <div>-0.70 Bar VACUUM PRESSURE</div>
<div></div> <div>20 Litres/min EXTRACTION RATE</div>	<div></div> <div>20 Litres/min EXTRACTION RATE</div>	<div></div> <div>20 Litres/min EXTRACTION RATE</div>	<div></div> <div>20 Litres/min EXTRACTION RATE</div>	<div></div> <div>12 Litres/min EXTRACTION RATE</div>	<div></div> <div>9 Litres/min EXTRACTION RATE</div>
<div></div> <div>130 Watts PERFORMANCE</div>	<div></div> <div>130 Watts PERFORMANCE</div>	<div></div> <div>130 Watts PERFORMANCE</div>	<div></div> <div>130 Watts PERFORMANCE</div>	<div></div> <div>110 Watts PERFORMANCE</div>	<div></div> <div>100 Watts PERFORMANCE</div>



VS-D2

Domestic

RRP \$127.23 Ex
 \$139.95 Inc

Features
Non Mark Stainless Steel

Control Panel Functions
Auto Vacuum / Seal Manual
Seal
Pulse Vacuum




Inclusions
Preformed Vacuum Bags x 5
Hand Held Bag Cutter
Accessory Hose

Dimensions
W 96 X L 367 X H 59 mm

Weight
1.0kg



Specifications:

 <p>50 Cycles CONTINUOUS USE</p>	 <p>Single Pump TECHNOLOGY</p>	 <p>-0.70 Bar VACUUM PRESSURE</p>	 <p>9 Litres/min EXTRACTION RATE</p>	 <p>100 Watts PERFORMANCE</p>	 <p>30cm MAX. SEALING BAR WIDTH</p>
---	---	--	---	--	--



VS-D3 Domestic

RRP \$227.23 Ex
 \$249.95 Inc

- Features**
Non Mark Stainless Steel
Soft Close Locking Handle
Removable Drip Tray
Accessory Port
- Control Panel Functions**
Auto Vacuum / Seal Manual
Seal
Pulse Vacuum
Canister Function
Dry/Moist Seal Time Settings


- Inclusions**
Spare Gasket Set of 2
Preformed Vacuum Bags x 10
Hand Held Bag Cutter
Accessory Hose

Dimensions
W 180 X L 402 X H 101 mm

Weight
1.65kg



Specifications:

 100 Cycles CONTINUOUS USE	 Single Pump TECHNOLOGY	 -0.80 Bar VACUUM PRESSURE	 12 Litres/min EXTRACTION RATE	 110 Watts PERFORMANCE	 30cm MAX. SEALING BAR WIDTH
---	--	---	---	---	---










VS-C3 Commercial

RRP \$336.32 Ex
 \$369.95 Inc

- Features**
Non Mark Stainless Steel
Soft Close Locking Handle
Progressive Dual Seal
Removable Drip Tray
Internal Roll Holder & Cutting Bar
Accessory Port
- Control Panel Functions**
Auto Vacuum / Seal Manual
Seal
Pulse Vacuum
Marinate Function
Canister Function
Dry/Moist/Extended Seal Time Settings
Normal/Gentle Pressure Settings
Progress Display
- Inclusions**
Spare Gasket Set of 2
Vacuum Roll 28cm x 3m
Accessory Hose
- Dimensions**
W 190 X L 400 X H 120 mm
- Weight**
4.0kg



Specifications:

 150 Cycles CONTINUOUS USE	 Dual Pump TECHNOLOGY	 -0.90 Bar VACUUM PRESSURE	 20 Litres/min EXTRACTION RATE	 130 Watts PERFORMANCE	 Dual Seal EXTRA STRENGTH	 30cm MAX. SEALING BAR WIDTH
---	--	---	---	---	--	---



VS-C1-1 Commercial

RRP \$363.59 Ex
 \$399.95 Inc

- Features**
Black Stainless Steel
Progressive Dual Seal
Removable Drip Tray
Internal Roll Holder & Cutting Bar
Accessory Port
Internally Lit View-in Window

- Control Panel Functions**
Auto Vacuum / Seal Manual
Seal
Pulse Vacuum
Marinate Function
Canister Function
Dry/Moist/Extended Seal Time Settings
Normal/Gentle Pressure Settings
Progress Display








- Inclusions**
Spare Gasket Set of 2
Vacuum Roll 28cm x 3m
Accessory Hose

Dimensions
W 190 X L 400 X H 120 mm

Weight
4.0kg



Specifications:

 150 Cycles CONTINUOUS USE	 Dual Pump TECHNOLOGY	 -0.90 Bar VACUUM PRESSURE	 20 Litres/min EXTRACTION RATE	 130 Watts PERFORMANCE	 Dual Seal EXTRA STRENGTH	 30cm MAX. SEALING BAR WIDTH
---	--	---	---	---	--	---



VS-I30-1 Industrial

RRP \$727.23 Ex
 \$799.95 Inc

- Features**
Stainless Steel Body
Progressive Dual Seal
Removable Drip Tray
Internal Roll Holder & Cutting Bar
Accessory Port
Internally Lit View-in Window
- Control Panel Functions**
Auto Vacuum / Seal - Dry or Moist Setting
Manual Seal
Pulse Vacuum
Marinate Function
Canister Function
Progress Display








- Inclusions**
Spare Gasket Set of 2
Vacuum Roll 30cm x 6m
Accessory Hose

Dimensions
W 380 X L 400 X H 135 mm

Weight
5.1kg



Specifications:

 Continuous CYCLES	 Dual Pump TECHNOLOGY	 -0.95 Bar VACUUM PRESSURE	 20 Litres/min EXTRACTION RATE	 220 Watts PERFORMANCE	 Dual Seal EXTRA STRENGTH	 30cm MAX. SEALING BAR WIDTH
---	--	---	---	---	--	---



VS-I40-1 Industrial

RRP \$909.05 Ex
 \$999.95 Inc

- Features**
Stainless Steel Body
Progressive Dual Seal
Removable Drip Tray
Internal Roll Holder & Cutting Bar
Accessory Port
Internally Lit View-in Window
- Control Panel Functions**
Auto Vacuum / Seal - Dry or Moist Setting
Manual Seal
Pulse Vacuum
Marinate Function
Canister Function
Progress Display








Inclusions
Spare Gasket Set of 2
Vacuum Roll 30cm x 6m
Accessory Hose

Dimensions
W 380 X L 400 X H 135 mm

Weight
5.1kg



























Specifications:

 Continuous CYCLES	 Dual Pump TECHNOLOGY	 -0.95 Bar VACUUM PRESSURE	 20 Litres/min EXTRACTION RATE	 220 Watts PERFORMANCE	 Dual Seal EXTRA STRENGTH	 Super Wide 40cm MAX. SEALING BAR WIDTH
---	--	---	---	---	--	--



Range Overview

Chamber Vacuum Sealers

VS-D4	VS-CH1	VS-CH2	VS-CH3
			
RRP \$727.23 Ex \$799.95 Inc	RRP \$1181.77 Ex \$1299.95 Inc	RRP \$1363.59 Ex \$1499.95 Inc	RRP \$1999.95 Ex \$2199.95 Inc
—	24 months DOMESTIC WARRANTY	24 months DOMESTIC WARRANTY	24 months DOMESTIC WARRANTY
12 months DOMESTIC WARRANTY	12 months COMMERCIAL WARRANTY	12 months COMMERCIAL WARRANTY	12 months COMMERCIAL WARRANTY
Includes 200 Bags	Includes 200 Bags	Includes 300 Bags	Includes 300 Bags
 Quad Pump TECHNOLOGY	 Quad Pump TECHNOLOGY	 Quad Pump TECHNOLOGY	 2 x Quad Pump TECHNOLOGY
 -0.95 Bar VACUUM PRESSURE	 -0.95 Bar VACUUM PRESSURE	 -0.95 Bar VACUUM PRESSURE	 -0.95 Bar VACUUM PRESSURE
 70 Litres/min EXTRACTION RATE	 72 Litres/min EXTRACTION RATE	 72 Litres/min EXTRACTION RATE	 120 Litres/min EXTRACTION RATE
 350 Watts PERFORMANCE	 350 Watts PERFORMANCE	 350 Watts PERFORMANCE	 350 Watts PERFORMANCE
 4 Litre Capacity CHAMBER 305W x 220D x 75H mm	 7 Litre Capacity CHAMBER 305W x 322D x 100H mm	 8 Litre Capacity CHAMBER 305W x 322D x 100H mm	 10.5 Litre Capacity CHAMBER 305W x 322D x 160H mm



VS-D4

Domestic

RRP \$727.23 Ex
 \$799.95 Inc

Chamber Size

Max Dimensions 305 x 220 x 75mmH
Max Volume 4.0L
Max Bag Size 30cms Open x 25cms Deep

Features

Stainless Steel
Progressive Dual Seal
Accessory Port
Pressure Gauge
Armoured 10mm Glass Lid
Removable Sealing Bar
Maintenance Free Motor Pump Assembly (No Oil)

Control Panel Functions

Auto Vacuum / Seal
Manual Seal
Marinate Function
Adjustable Vacuum Time Adjustable Sealing
Time Progress Display

Inclusions

Spare Gasket Set
Accessory Hose
Preformed Vacuum Bags x 200
100 each in cms (15x25) (28x25)

Dimensions








W 345 X L 285 X H 208 mm

Weight

8.5kg



Specifications:

 Quad Pump TECHNOLOGY	 -0.95 Bar VACUUM PRESSURE	 70 Litres/min EXTRACTION RATE	 350 Watts PERFORMANCE	 4 Litre Capacity CHAMBER	 Dual Seal EXTRA STRENGTH	 30cm MAX. SEALING BAR WIDTH
--	---	---	---	--	--	---



VS-CH1

Light Commercial

RRP \$1181.77 Ex
 \$1299.95 Inc

- Chamber Size**
Max Dimensions 305 x 322 x 100mmH
Max Volume 7.0L
Max Bag Size 30cms Open x 35cms Deep
- Features**
Stainless Steel
Progressive Dual Seal
Pressure Gauge
Armoured 8mm Glass Lid
Removable Sealing Bar
Maintenance Free Motor Pump Assembly (No Oil)

- Control Panel Functions**
Auto Vacuum / Seal
Manual Seal
Marinate Function
Adjustable Vacuum Time Adjustable Sealing Time
Progress Display
- Inclusions**
Preformed Vacuum Bags x 200
40 each in cms (15x25) (20x25) (20x30) (25x35) (28x33)

- Dimensions**
W 430 X L 360 X H 245 mm
- Weight**
13kg



Specifications:



Quad Pump
TECHNOLOGY



-0.95 Bar
VACUUM PRESSURE



72 Litres/min
EXTRACTION RATE



350 Watts
PERFORMANCE



7 Litre Capacity
CHAMBER



Dual Seal
EXTRA STRENGTH



30cm
MAX. SEALING BAR WIDTH



VS-CH2 Commercial

RRP \$1363.59 Ex
 \$1499.95 Inc








- Chamber Size**
Max Dimensions 305 x 322 x 100mmH
Maximum Volume 8.0L
Max Bag Size 30cms Open x 35cms Deep
- Features**
Stainless Steel
Progressive Dual Seal
Pressure Gauge
20mm Perspex Lid
Removable Sealing Bar
Maintenance Free Motor Pump Assembly (No Oil)

- Control Panel Functions**
Auto Vacuum / Seal
Manual Seal
Marinate
Adjustable Vacuum Time Adjustable Sealing Time
Progress Display
- Inclusions**
Preformed Vacuum Bags x 300
60 each in cms (15x25) (20x25) (20x30) (25x35) (28x33)

- Dimensions**
W 423 X L 372 X H 249 mm
- Weight**
14.6kg



Specifications:

 <p>Quad Pump TECHNOLOGY</p>	 <p>-0.95 Bar VACUUM PRESSURE</p>	 <p>72 Litres/min EXTRACTION RATE</p>	 <p>350 Watts PERFORMANCE</p>	 <p>8 Litre Capacity CHAMBER</p>	 <p>Dual Seal EXTRA STRENGTH</p>	 <p>30cm MAX. SEALING BAR WIDTH</p>
---	--	--	--	---	---	--



VS-CH3

Commercial

RRP \$1999.95 Ex
 \$2199.95 Inc

Chamber Size

Max Dimensions 305 x 322 x 160mmH
Maximum Volume 10.5L
Max Bag Size 30cms Open x 35cms Deep

Features

Stainless Steel
Progressive Dual Seal
Pressure Gauge
20mm Perspex Bubble Lid
Removable Sealing Bar
2 Independent Motors each driving 4 x Pump Cylinders
Maintenance Free Motor Pump Assembly (No Oil)

Control Panel Functions

Auto Vacuum / Seal
Manual Seal
Marinate
Adjustable Vacuum Time Adjustable Sealing Time
Progress Display

Inclusions

Preformed Vacuum Bags x 300
60 each in cms (15x25) (20x25) (20x30) (25x35) (28x33)

Dimensions








W 423 X L 372 X H 300 mm

Weight

17.6kg





















Specifications:

 x2 Quad Pump TECHNOLOGY	 -0.95 Bar VACUUM PRESSURE	 72 Litres/min EXTRACTION RATE	 350 Watts PERFORMANCE	 10.5 Litre Capacity CHAMBER	 Dual Seal EXTRA STRENGTH	 30cm MAX. SEALING BAR WIDTH
--	--	--	--	--	---	--



Range Overview

Sous Vide Cookers

SV-D1	SV-C1	SV-9L
		
RRP \$272.68 Ex \$299.95 Inc	RRP \$636.32 Ex \$699.95 Inc	RRP \$545.41 Ex \$599.95 Inc
12 months DOMESTIC WARRANTY	12 months COMMERCIAL WARRANTY	12 months DOMESTIC WARRANTY
 IPX7 RATING	 IPX7 RATING	 IPX7 RATING
 +/- 0.1°C TEMP ACCURACY	 +/- 0.1°C TEMP ACCURACY	 +/- 0.1°C TEMP ACCURACY
 5-90°C TEMP RANGE	 5-90°C TEMP RANGE	 5-90°C TEMP RANGE
 ≤20 Litres CAPACITY	 ≤50 Litres CAPACITY	 9 Litres CAPACITY
 1200 Watts PERFORMANCE	 1500 Watts PERFORMANCE	 2000 Watts PERFORMANCE








SV-D1

Domestic

RRP \$272.68 Ex
 \$299.95 Inc

- Features**
Low Water Level Detection
Anti Dry Safety Protection
Circulating Water Pump LED
Digital Display
- Control Panel Functions**
Adjustable Time Settings
Adjustable Temperature Range
Temperature Display
Memory Function
- Dimensions**
W 77 X L 124 X H 45 mm
- Weight**
0.8kg

Specifications:

				
IPX7	+/- 0.1°C	5-90°C	≤20 Litres	1200 Watts
RATING	TEMP ACCURACY	TEMP RANGE	CAPACITY	PERFORMANCE





SV-C1

Commercial

RRP \$636.32 Ex
 \$699.95 Inc






- Features**
Stainless Steel Body
Submersible High Flow Water Pump
Low Water Level Detection
Anti Dry Safety Protection
LED Digital Display
Countdown Indicator

- Control Panel Functions**
Adjustable Time Settings
Adjustable Temperature Range
Temperature Display
Memory Function

Dimensions
W 159 X L 159 X H 285 mm

Weight
1.6kg

Specifications:

				
IPX7 RATING	+/- 0.1°C TEMP ACCURACY	5-95°C TEMP RANGE	≤50 Litres CAPACITY	1500 Watts PERFORMANCE





SV-9L

Domestic

RRP \$545.41 Ex
 \$599.95 Inc

- Features**
Stainless Steel Body
Submersible High Flow Water Pump 3
Layer Cool Touch Lid
Circulating Water Pump
Water Drainage Hose
Rotational Base

- Control Panel Functions**
Adjustable Time Settings
Adjustable Temperature Range
Temperature Display
Memory Function

- Inclusions**
W 310 X L 360 X H 280 mm

- Dimensions**
2 x Stainless Steel Bag Racks

- Weight**
5.2kg



Specifications:



IPX7
RATING



+/- 0.1°C
TEMP ACCURACY



5-95°C
TEMP RANGE



9 Litres
CAPACITY



2000 Watts
PERFORMANCE



Range Overview

Vacuum Rolls & Bags

- ✓ Cross Air Venting Technology
- ✓ BPA Free, non-toxic
- ✓ Freezer Safe
- ✓ Boil Safe
- ✓ Microwave Safe
- ✓ Ideal for Sous Vide Cooking

Rolls

VS-283



RRP
\$49.95

3 Rolls
28cm x 5.4m

VS-402



RRP
\$49.95

2 Rolls
40cm x 6m

VS-23MR



RRP
\$59.95

5 Rolls
(3) 28cm x 4.5m
(2) 22cm x 4.5m

Bags

VS-1525B



RRP
\$39.95

100 Bags
15cm x 25cm

VS-2030B



RRP
\$49.95

100 Bags
20cm x 30cm

VS-2825B



RRP
\$49.95

80 Bags
28cm x 25cm

VS-110B



RRP
\$59.95

110 Bags
(30) 16cm x 23cm
(30) 20cm x 25cm
(30) 20cm x 30cm
(20) 25cm x 35cm



Range Overview

Vacuum Accessories

- ✓ Storage Canisters keeps crushable items fresh
- ✓ Canisters are BPA Free
- ✓ Marinate bowls reduces the time required to thoroughly marinate food
- ✓ Suitable for use with Pro-line Vacuum Sealers with an accessory port and a canister or marinate function

VS-CAN3



RRP

Set of 3 Canisters
700ml, 1400ml, 2000ml

VS-MB



RRP

Marinate Bowl
2L

VS-MB-1



RRP

Marinate Bowl
2.5L



Range Overview

DRINK BUDDY

Breathalyzers

.050 NEVER
DRINK & DRIVE

BT-1



RRP
\$145.41 Ex

12 months
WARRANTY



Fuel Cell Sensor Engine
ADVANCED TECHNOLOGY



±.005% BAC
HIGHLY ACCURATE



Australian
Standard
AS3547
Lic. SMK40788
SAI GLOBAL

BT-2



RRP
\$218.14 Ex

12 months
WARRANTY



Ultra Fuel Cell Sensor Engine
ADVANCED TECHNOLOGY



±.005% BAC
HIGHLY ACCURATE



Australian
Standard
AS3547
Lic. SMK40788
SAI GLOBAL

BT-20MP



RRP
\$27.23 Ex

20 Mouth Pieces
BPA Free



BT-1 Drink Buddy

RRP \$145.41 Ex
 \$159.95 Inc

Features
Easy One Button Operation
Lightweight & Compact - Take Anywhere 3
Decimal Display
500 uses or 6 months before calibration
Dual Colour LCD - Displays red for warnings
Automatic Power Off


Inclusions
3 x Mouth Pieces 2
x AAA Batteries


Dimensions
W 24 X L 35 X H 111 mm

Weight
55g

Specifications:

12
Months
WARRANTY


Fuel Cell Sensor Engine
ADVANCED TECHNOLOGY


±.005% BAC
HIGHLY ACCURATE




Australian
Standard
AS3547
Lic. SMK40788
SAI GLOBAL



BT-2 Drink Buddy

RRP \$218.14 Ex
 \$239.95 Inc

- Features**
Easy One Button Operation
Lightweight & Compact - Take Anywhere 3
Decimal Display
700 uses or 12 months before calibration
Dual Colour LCD - Displays red for warnings
Automatic Power Off

- Inclusions**
6 x Mouth Pieces 2
x AAA Batteries
Protective Storage Pouch

Dimensions
W 20.2 X L 45 X H 111.5 mm

Weight
59g

Specifications:

12

Months
WARRANTY



Fuel Cell Sensor Engine
ADVANCED TECHNOLOGY



±.005% BAC
HIGHLY ACCURATE



Australian
Standard
AS3547
Lic. SMK40788
SAI GLOBAL

